


WBC Histogram Results
CDS Hematology Diluent and CDS-3 PD Lysing Reagent
with 2-hydroxycetyldimethyl-2-hydroxyethylammonium chloride

FIG. 1



CDS-5 PD Reagent Set D.C. Volume vs. Light Scatter

FIG. 2A






FIG. 3A




CDS-5 PD Reagent Set D.C. Volume vs. Opacity

FIG. 2B




OF 3
COULTER Scatterpak Reagent
D.C. Volume vs. Opacity

FIG. 3B




1-Butanesulfonic acid, sodium Lyse D.C. Volume vs. Light Scatter

FIG. 4A




Glutaric acid + Hydrochloric acid Lyse D.C. Volume vs. Light Scatter

FIG. 5A



1-Butanesulfonic acid, sodium Lyse D.C. Volume vs. Opacity

FIG. 4B



Glutaric acid + Hydrochloric acid Lyse D.C. Volume vs. Opacity

FIG. 5B

FIG. 6 CDS Diluent + CDS 3-Part Diff Lyse

TANK TO THE PROPERTY OF THE PR




FIG. 7 Beckman Coulter Diluent + CDS-3-Part Diff Lyse




FIG. 8 CDS Diluent + Beekman Coulter 3-Part Diff Lyse

